

r.s.p.

supreme bike care

DEALER WORKBOOK

VERSION 3.2





"Everyone's riding a bike, only Gerhard isn't. He's cleaning black marks off his white shirt... "

Gerhard Fernbach, June 1989

That's how I started my new adventure – initially on the racetrack and then also in the garage.

The white shirt was my trademark... and the stains on it from the bicycle chain were my new challenge. This energy led me to develop the first professional and clean chain spray for cycles: r.s.p. Ultra Slide (now Glide & Slide)

What I started as a lone fighter back in the day, is today the passion of a great many. Together with my team of performance-demanding, fearless and ultra-tough guys like Glamour Hammer, Muddy Buddy, Bearing Buster & Co. I started my biggest adventure...

WE ARE PEOPLE We share your passion, your ideas and your needs.
As a team, over the last 25 years.

ADVENTURE IS OUR DRIVE Mountain bikers, who crest the peaks with passion.
Racing cyclists, for whom every kilometre counts.
Freeriders, for whom no jump is too far.

PERFORMANCE IS OUR PASSION r.s.p. Mountainbike Team: 4 Cross World Champion Tomas Slavik, living legend Michal Marosi, Felix Beckeman

WE SUPPORT

Gerhard Fernbach, 2013

SRAM



Content

Jacky Chain™	4
Jacky Chain™ Chain Cleaner Set	5
Brake Shake™	6
Muddy Buddy™	7
Bike & Chain Cleaner 10l	8
Slick Kick™ 8 g	9
Slick Kick™	10
Slick Kick™ 500 g	11
Bearing Buster™	12
Bearing Buster™ 500 g	13
Creak Freak	14
Creak Freak 500 g	15
Soft Grease 500 g	16
Go Flow	17
Grease Gun	18
Grease Gun Pro	19
Ceramic Dynamic™	21
Red Oil	22
Black Oil	23
Damp Champ™	24
Damp Champ™ 1 l	25
Air Fluid 8 ml	27
Air Fluid	28
Air Fluid 10l	29
Lefty Service Kit	30
Lefty Lube 1l	31
Suspension Service Kit	32
No Stick Slip 8 ml	33
No Stick Slip	34
No Stick Slip 5l	35
Brake Fluid	37
Hand Cleaner	38
Hand Cleaner 10 kg	39
Microclean Part Cleaner	40
Workshop Apron	41



Cleaner



Grease



Lubricants



Suspension



Miscellaneous



JACKY CHAIN™

(prev. Ultra Clean)

CHAIN CLEANER

r.s.p. Article no.	062008000
Content	500 ml
Packaging units	6 pcs.
EAN product code	9120050150089

EAN packaging code	9120050158085
Customs tariff number	34022090
VOC	92%
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
67	67	210	445

Product packing (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
200	190	270	2.8



For a perfectly clean chain, Jacky Chain is your cleaning agent. Gets rid of oil, grease and even bothersome resin deposits.

Also creates a film as corrosion protection, and prepares the chain optimally for subsequent greasing.

It's easy: For optimal results, apply Jacky Chain directly to your bike using our r.s.p. chain cleaning device.

Alternatively: Moisten a cloth sufficiently with Jacky Chain and allow the mounted chain to run through the cloth.

You've nearly finished: Now lubricate your chain and derailleur with r.s.p. Ceramic Dynamic or r.s.p. chain oils.



JACKY CHAIN™ CHAIN CLEANER SET

CHAIN CLEANER SET

r.s.p. Article no.	062012000
Content	500ml
Packaging units	10 pcs.
EAN product code	9120050150126

EAN packaging code	9120050158122
Customs tariff number	34022090,96039099
VOC	92 %
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Product packaging (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
100	90	230	622

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
390	290	230	6.5

The r.s.p. Chain Cleaning Device and the Jacky Chain chain cleaner make an unbeatable team. This twosome gets rid of oil, grease and even stubborn dirt on your chain particularly quickly and efficiently.

It's easy: Fill the r.s.p. Chain Cleaning Device up to the mark with Jacky Chain. Hold the cleaning device to the mounted chain from below and now close the upper part. Attach the lever to the left of the gears. Now turn the crank slowly backwards and experience Jacky Chain while cleaning your chain. For particularly dirty chains, exchange Jacky Chain after a few revolutions.

You've nearly finished: Now lubricate your chain and derailleur with r.s.p. Ceramic Dynamic or r.s.p. chain oils.



BRAKE SHAKE™

BRAKE CLEANER



r.s.p. Article no.	062051000
Content	500 ml
Packaging units	12 pcs.
EAN product code	9120050150515

EAN packaging code	9120050158511
Customs tariff number	34022090
VOC	97 %
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
68	68	240	475

Product packaging (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
280	220	260	6.0

Brake Shake is the high-performance cleaner for brakes, brake pads and rims. Gets rid of oil, grease and even stubborn dirt.
Brake Shake also stops irritating squeaking brakes.

It's easy: Spray Brake Shake generously onto your mounted brake system and rims. The dirt that has been loosened just drops off.

Ready to go!



MUDDY BUDDY™

BIKE CLEANER BIODEGRADABLE

r.s.p. Article no.	062071000
Content	500ml
Packaging units	6 pcs.
EAN product code	9120050150713

EAN packaging code	9120050158719
Customs tariff number	34011900
VOC	0%
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
97	50	240	595

Product packing (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
200	190	270	3.750

Muddy Buddy is the powerful, biodegradable cleaner for your bike. Gets rid of dirt and provides your bike with ultra-sheen in no time at all. Use the spray pistol to clean your bike quickly and efficiently.

It's easy: Spray your bike with Muddy Buddy, let it take effect for 2-3 minutes, and then clean it using sufficient quantities of water. Your bike will shine after drying.

You've nearly finished: Now lubricate your chain and derailleur with r.s.p. Ceramic Dynamic, r.s.p. Glide & Slide or r.s.p. chain oils.

Muddy Buddy protects your bike and the environment. Biodegradable according to OECD standard.



BIKE & CHAIN CLEANER 10L

BIKE & CHAIN CLEANER

r.s.p. Article no.	062033000
Content	10l
Packaging units	1 pcs.
EAN product code	9120050150331

EAN packaging code	/
Customs tariff number	27101929
VOC	92 %
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
230	190	330	8.5

Product packing (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)

Bike & Chain Cleaner is the blockbuster amongst the cleaning agents, and has been specially developed for use in an r.s.p. Microclean component cleaning device. Bike & Chain Cleaner even removes stubborn dirt such as tar, grease spots and glue residue, and protects the bike from corrosion.

Use Bike & Chain Cleaner on dry components only.

Immediately after cleaning: Lubricate the components with r.s.p. Ceramic Dynamic, Glide & Slide or r.s.p. chain oils.

Bike & Chain Cleaner is free from acids, caustic solutions, emulsifiers, surfactants and corrosive sulphur compounds.



SLICK KICK™ 8G

SPECIAL GREASE

r.s.p. Article no.	062606000
Content	8 g
Packaging units	20 sachets
EAN product code	9120050156067

EAN packaging code	9120050159709
Customs tariff number	27101999
VOC	0 %
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
109	54	4	10

Product packing (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
100	55	110	210



Slick Kick is a lithium-free special grease for lubricating shock absorbers and forks. Slick Kick brings speed and ease of movement to your forks and shock absorbers on trails that demand high performance. Our grease has been developed together with innovative suspension manufacturers and the r.s.p. 4Cross Team.

It's easy: Apply Slick Kick generously to all moving parts and seals when servicing shock absorbers and forks.

Slick Kick provides top performance for your bike.



SLICK KICK™

SPECIAL GREASE



r.s.p. Article no.	062600000
Content	50 g
Packaging units	12 pcs.
EAN product code	9120050156005

EAN packaging code	9120050159006
Customs tariff number	27101999
VOC	0 %
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
65	40	110	60

Product packaging (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
180	150	170	850

Slick Kick is a lithium-free special grease for lubricating shock absorbers and forks. Slick Kick brings speed and ease of movement to your forks and shock absorbers on trails that demand high performance. Our grease has been developed together with innovative suspension manufacturers and the r.s.p. 4Cross Team.

It's easy: Apply Slick Kick generously to all moving parts and seals when servicing shock absorbers and forks.

Slick Kick provides top performance for your bike.



SLICK KICK™ 500G

SPECIAL GREASE



r.s.p. Article no.	062601000
Content	500 g
Packaging units	12 pcs.
EAN product code	9120050156012

EAN packaging code	9120050159013
Customs tariff number	27101999
VOC	0 %
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
100	100	120	585

Product packing (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
310	225	265	7.0

Slick Kick is a lithium-free special grease for lubricating shock absorbers and forks. Slick Kick brings speed and ease of movement to your forks and shock absorbers on trails that demand high performance. Our grease has been developed together with innovative suspension manufacturers and the r.s.p. 4Cross Team.

It's easy: Apply Slick Kick generously to all moving parts and seals when servicing shock absorbers and forks.

Slick Kick provides top performance for your bike.



BEARING BUSTER™

BEARING GREASE

r.s.p. Article no.	062011001
Content	50 g
Packaging units	12 pcs.
EAN product code	9120050150119

EAN packaging code	9120050158115
Customs tariff number	34031990
VOC	0 %
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
65	40	110	63

Product packing (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
180	150	170	0,850

Bearing Buster is your special grease containing PTFE for ball bearings that is long-lasting and tough. Bearing Buster is self-lubricating, protects your ball bearings from moisture and prevents corrosion.

It's easy: Clean ball bearings thoroughly using your r.s.p. Bike & Chain Cleaner. Then apply Bearing Buster generously to the dry ball bearings using the r.s.p. Grease Gun.

Professional tip: The thread of the Bearing Buster tube is compatible with the r.s.p. Grease Gun. For cable pulls and your saddle support use r.s.p. Slick Kick.

Bearing Buster & Co. makes your work easy.



BEARING BUSTER™

500 G

BEARING GREASE

r.s.p. Article no.	062007003
Content	500 g
Packaging units	12 pcs.
EAN product code	9120050150072

EAN packaging code	9120050158078
Customs tariff number	34031990
VOC	0 %
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
100	100	120	574

Product packing (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
310	225	265	6,88

Bearing Buster is your special grease containing PTFE for ball bearings that is long-lasting and tough. Bearing Buster is self-lubricating, protects your ball bearings from moisture and prevents corrosion.

It's easy: Clean ball bearings thoroughly in r.s.p. Microclean using our r.s.p. Bike & Chain Cleaner. Then apply Bearing Buster generously to the dry ball bearings using the r.s.p. Grease Gun Pro.

Professional tip: For cable pulls and your saddle support use r.s.p. Slick Kick.

Bearing Buster & Co. makes your work easy.



CREAK FREAK

ASSEMBLING PASTE



r.s.p. Article no.	062048000
Content	50 g
Packaging units	12 pcs.
EAN product code	9120050150485

EAN packaging code	9120050158481
Customs tariff number	34031980
VOC	0 %
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
66	40	110	67

Product packaging (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
180	150	170	0,89

Blue Grease is a mounting paste to be used for stubborn creaking sounds, and prevents seizing of lubricated parts. The grease has an extremely high temperature resistance, and is perfect for aluminium and titanium parts. Blue Grease is resistant to acids, caustic compounds, salt water and fresh water.

It's easy: Apply Blue Grease thinly using a brush.

Professional tip: The optimal quantity of Blue Grease has been applied when the lubrication film appears light grey.



CREAK FREAK 500G

ASSEMBLING PASTE



r.s.p. Article no.	062047000
Content	500 g
Packaging units	6 pcs.
EAN product code	9120050150478

EAN packaging code	9120050158474
Customs tariff number	34031980
VOC	0%
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
100	100	120	585

Product packaging (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
310	210	125	3,5

Blue Grease is a mounting paste to be used for stubborn creaking sounds, and prevents seizing of lubricated parts. The grease has an extremely high temperature resistance, and is perfect for aluminium and titanium parts. Blue Grease is resistant to acids, caustic compounds, salt water and fresh water.

It's easy: Apply Blue Grease thinly using a brush.

Professional tip: The optimal quantity of Blue Grease has been applied when the lubrication film appears light grey.



SOFT GREASE 500G

SPECIAL GREASE



r.s.p. Article no.	062035000
Content	500 g
Packaging units	12 pcs.
EAN product code	9120050150355

EAN packaging code	9120050158351
Customs tariff number	27101999
VOC	0 %
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
100	100	120	585

Product packing (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
310	225	265	7,2

Soft Grease is a gentle lithium grease for lubricating of cables, shifters, bearings and complete assemblies. The grease is water-resistant, provides good corrosion protection and allows maintenance intervals to be extended.

It's easy: Apply Soft Grease generously to components using a brush.



GO FLOW

SEMIFLUID GREASE



r.s.p. Article no.	062107000
Content	500 g
Packaging units	12 pcs.
EAN product code	9120050151079

EAN packaging code	9120050159099
Customs tariff number	34039900
VOC	0 %
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
100	100	120	585

Product packaging (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
310	225	265	7

Go Flow is a semifluid grease for lubrication of freehubs. It was specially developed for the lubrication of pawls in freewheels/hubs. Go Flow has a high adhesive capacity and withstands high surface pressure.

Temperature stable to -30°C . NLGI Class 0.

GREASE GUN

GREASE GUN FOR M15 THREADS



r.s.p. Article no.	062019000
Content	/
Packaging units	1 pcs.
EAN product code	9120050150195

EAN packaging code	/
Customs tariff number	84248900
VOC	0%
FEDAS code	160967



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Product packaging (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
180	140	40	148

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)

Use the r.s.p. Grease Gun to quickly and efficiently lubricate those hard-to-reach places on your bike.

The Grease Gun is made of metal, and fits comfortably in the hand. It features a long dosing point for precise, clean lubrication. The r.s.p. Slick Kick, Blue Grease and Bearing Buster grease tubes are compatible with the M15 thread on this grease gun.

It's easy: Unscrew the r.s.p. tube cap, remove the seal and screw the tube to the Grease Gun from below.

Ready to go!

GREASE GUN PRO

PROFESSIONAL GREASE GUN



r.s.p. Article no.	062024000
Content	/
Packaging units	1 pcs.
EAN product code	9120050150249

EAN packaging code	/
Customs tariff number	84248970
VOC	0%
FEDAS code	160967



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Product packaging (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
180	140	40	395

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)

Use the r.s.p. Grease Gun Pro to quickly and efficiently lubricate those hard-to-reach places on your bike.

The Grease Gun Pro is made of metal, and fits comfortably in the hand. It features a long dosing point for precise, clean lubrication and it is compatible with the Microlube system. The integrated spring ensures that the grease is automatically pressed into the Grease Gun Pro from the container. The built-in ventilation valve guarantees continuous functioning.

It's easy: Unscrew the grease container. Pull the spring on the container down and lock by turning. Fill the grease container with any r.s.p. grease, screw on again and unlock. The grease gun pro is ready to use.

Now you can lubricate precisely and efficiently by pressing on the piston grip. Don't shorten or modify the nozzle of the grease gun !

r.s.p.

supreme bike care





CERAMIC DYNAMIC™

LUBRICANT



r.s.p. Article no.	062006000
Content	200 ml
Packaging units	12 pcs.
EAN product code	9120050150065

EAN packaging code	9120050158061
Customs tariff number	34031910
VOC	72,50 %
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
45	45	180	195

Product packaging (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
190	150	190	2,6

Ceramic Dynamic is a high-end dry lubricant for bikers who demand top chain and derailleur performance. Ceramic Dynamic contains ceramic particles that make it particularly resistant to pressure and abrasion. The spray tube ensures precise lubrication of all components.

It's easy: Shake Ceramic Dynamic well. Spray directly onto the chain and derailleur that have been cleaned using r.s.p. Jacky Chain. Lubricate your chain and derailleur **regularly** with Ceramic Dynamic.

Ceramic Dynamic provides top performance for your bike, and contains no propellants.



RED OIL

CHAIN OIL

r.s.p. Article no.	062045000
Content	50 ml
Packaging units	12 pcs.
EAN product code	9120050150454

EAN packaging code	9120050158450
Customs tariff number	27101983
VOC	0 %
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
46	26	105	58

Product packaging (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
162	96	107	0,6

Red Oil is the best seller from the world of racing sport. Red Oil – the penetrating chain oil with PTFE for dry conditions.

The unique Red Oil lubricating action ensures smooth chain and derailleur functioning. Dirt-resistant additives keep the chain clean and free-moving.

It's easy: Shake Red Oil well. Apply Red Oil directly to a chain and derailleur that have been cleaned using r.s.p. Jacky Chain. Turn the crank 2-3 times. Ready!

Red Oil provides top performance for your bike.



BLACK OIL

CHAIN OIL

r.s.p. Article no.	062044000
Content	50 ml
Packaging units	12 pcs.
EAN product code	9120050150447

EAN packaging code	9120050158443
Customs tariff number	27101999
VOC	0%
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
46	26	105	58

Product packaging (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
162	96	107	0,6

Black Oil is the best seller from the world of racing sport. Black Oil – the adhesive chain oil with PTFE for wet conditions.

The unique Black Oil lubricating action ensures smooth chain and derailleur functioning. Dirt-resistant additives keep the chain clean and free-moving.

It's easy: Shake Black Oil well. Apply Black Oil directly to a chain and derailleur that have been cleaned using r.s.p. Jacky Chain. Turn the crank 2-3 times. Ready!

Black Oil provides top performance for your bike.



DAMP CHAMP™ SUSPENSION FLUID



r.s.p. article no. 2.5 wt	062065002
r.s.p. article no. 5 wt	062065005
r.s.p. article no. 7.5 wt	062065007
r.s.p. article no. 10 wt	062065010
r.s.p. article no. 15 wt	062065015
Content	250 ml
Packaging units	6 Stück
EAN product code 2.5 wt	9120050159204
EAN product code 5 wt	9120050159211
EAN product code 7.5 wt	9120050159228
EAN product code 10 wt	9120050159235
EAN product code 15 wt	9120050159242
Customs tariff number	27101981, 27101983
VOC	0 %
FEDAS code	160965

EAN Code PU 2.5 wt	9120050159303
EAN Code PU 5 wt	9120050159310
EAN Code PU 7.5 wt	9120050159327
EAN Code PU 10 wt	9120050159334
EAN Code PU 15 wt	9120050159341

Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
80	40	130	242

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
180	150	170	1,550

Damp Champ is a specially developed, fully synthetic fork and shock absorber fluid for every challenge. Anti-foam and wear-protection additives ensure that you can use your bike easily and hassle-free on every terrain.

It's easy: Select your Damp Champ in the appropriate viscosity from 2.5 wt - 15 wt according to the specifications of the manufacturer of your shock absorber system. Now exchange the used oil in your shock absorber system for the new Damp Champ fluid as prescribed by the manufacturer.

Damp Champ is long-lasting and provides top performance for your shock absorbers. Protect our environment - recycle used oil.

Professional tip: Get the maximum out of your shock absorber system and lubricate the moving parts and seals as prescribed by your manufacturer with r.s.p. Slick Kick grease.



DAMP CHAMP™ 1 L

SUSPENSION FLUID



r.s.p. article no. 2.5 wt	062072002
r.s.p. article no. 5 wt	062072005
r.s.p. article no. 7.5 wt	062072007
r.s.p. article no. 10 wt	062072010
r.s.p. article no. 15 wt	062072015
Content	1 l
Packaging units	6 Stück
EAN product code 2.5 wt	9120050159259
EAN product code 5 wt	9120050159266
EAN product code 7.5 wt	9120050159273
EAN product code 10 wt	9120050159280
EAN product code 15 wt	9120050159297
Customs tariff number	27101981, 27101983
VOC	0 %
FEDAS code	160965

EAN Code PU 2.5 wt	9120050159358
EAN Code PU 5 wt	9120050159365
EAN Code PU 7.5 wt	9120050159372
EAN Code PU 10 wt	9120050159389
EAN Code PU 15 wt	9120050159396

Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
100	60	230	940

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
210	200	240	5,6

Damp Champ is a specially developed, fully synthetic fork and shock absorber fluid for every challenge. Anti-foam and wear-protection additives ensure that you can use your bike easily and hassle-free on every terrain.

It's easy: Select your Damp Champ in the appropriate viscosity from 2.5 wt - 15 wt according to the specifications of the manufacturer of your shock absorber system. Now exchange the used oil in your shock absorber system for the new Damp Champ fluid as prescribed by the manufacturer.

Damp Champ is long-lasting and provides top performance for your shock absorbers. Protect our environment - recycle used oil.

Professional tip: Get the maximum out of your shock absorber system and lubricate the moving parts and seals as prescribed by your manufacturer with r.s.p. Slick Kick grease.



DAMP CHAMP™ 20L

SUSPENSION FLUID



r.s.p. article no. 2,5 wt	062022002
r.s.p. article no. 5 wt	062022005
r.s.p. article no. 7,5 wt	062022007
r.s.p. article no. 10 wt	062022010
r.s.p. article no. 15 wt	062022015
Content	20l
Packaging units	/
EAN product code 2,5 wt	9120050159402
EAN product code 5 wt	9120050159419
EAN product code 7,5 wt	9120050159426
EAN product code 10 wt	9120050159433
EAN product code 15 wt	9120050159440
Customs tariff number	27101981,27101983
VOC	0%
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
390	220	335	18

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)

r.s.p. Damp Champ is a specially developed, fully synthetic fork and shock absorber fluid for every challenge. Anti-foam and wear-protection additives ensure that you can use your bike easily and hassle-free on every terrain.

It's easy: Select your Damp Champ in the appropriate viscosity from 2.5 wt - 15 wt according to the specifications of the manufacturer of your shock absorber system. Now exchange the used oil in your shock absorber system for the new Damp Champ fluid as prescribed by the manufacturer.

Professional tip: Get the maximum out of your shock absorber system and lubricate the moving parts and seals as prescribed by your manufacturer with r.s.p. Slick Kick grease.

Damp Champ is long-lasting and provides top performance for your shock absorbers. Protect our environment - recycle used oil.



AIR FLUID 8 ML

ANTI FRICTION LUBE

r.s.p. article no.	62607000
Content	8 ml
Packaging units	20 sachets
EAN product code	9120050156074

EAN packaging code	9120050159723
Customs tariff number	27101983
VOC	0%
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
109	54	4	10

Product packaging (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
100	55	110	190

Air Fluid is a special fluid for lubrication of sliding surfaces and plain bearings in fork and rear shock.

Air Fluid reduces friction and stick-slip and protects against wear. Through added additives Air Fluid is extremely age resistant, has an high anti-rust effect and a good viscosity-temperature behavior.

Attention! Application and filling quantity according to the manufacturer's instructions.

Profitipp: In your workshop use Air Fluid 10l.



AIR FLUID

ANTI FRICTION LUBE



r.s.p. article no.	062603000
Content	250 ml
Packaging units	6 pcs.
EAN product code	9120050159037

EAN packaging code	/
Customs tariff number	27101983
VOC	0%
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
80	40	130	242

Product packing (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
190	150	170	1,6

Air Fluid is a special fluid for lubrication of sliding surfaces and plain bearings in fork and rear shock.

Air Fluid reduces friction and stick-slip and protects against wear. Through added additives Air Fluid is extremely age resistant, has an high anti-rust effect and a good viscosity-temperature behavior.

Attention! Application and filling quantity according to the manufacturer's instructions.

Profitipp: In your workshop use Air Fluid 10l.



AIR FLUID 10L

ANTI FRICTION LUBE



r.s.p. article no.	062603001
Content	10l
Packaging units	1 pcs.
EAN product code	9120050156036

EAN packaging code	/
Customs tariff number	27101983
VOC	0%
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
230	190	330	9

Product packaging (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)

r.s.p. Air Fluid is a special fluid for lubrication of sliding surfaces and plain bearings in fork and rear shock.

Air Fluid reduces friction and stick-slip and protects against wear. Through added additives Air Fluid is extremely age resistant, has an high anti-rust effect and a good viscosity-temperature behavior.

Attention! Application and filling quantity according to the manufacturer's instructions.

LEFTY SERVICE KIT

CLEANER AND CARE FOR YOUR
CANNONDALE LEFTY FORK

r.s.p. Article no.	062105000
Content	10 ml Lefty Lube 50 ml Lefty Clean
Packaging units	10 pcs.
EAN product code	9120050151055

EAN packaging code	9120050158054
Customs tariff number	27101929,27101983
VOC	92 %
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Product packaging (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
60	30	112	71

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
180	150	170	0.8

The Lefty Service Kit has been especially developed by r.s.p. in collaboration with Cannondale for cleaning and protecting your Lefty hybrid suspension fork (2013 model onwards). The Service Kit consists of 50 ml Lefty Clean and 10 ml Lefty Lube. Lefty Clean removes the lubricating oil in your Lefty suspension fork and prepares it for lubrication with new Lefty Lube. Lefty Lube is the friction-reducing lubricating oil for your Lefty hybrid suspension fork.

The Lefty Service Kit provides long life and performance for your Lefty hybrid suspension fork (2013 model onwards).

Note: Observe the manufacturer's specifications and directions for the 100-hour service of the hybrid needle bearing system.

Professional tip: We recommend r.s.p. Slick Kick for lubricating the Durathon Sealing System.



LEFTY LUBE 1L

LUBE FOR YOUR CANNONDALE
LEFTY FORK



r.s.p. article no.	062076000
Content	1 l
Packaging units	6 pcs.
EAN product code	9120050150768

EAN packaging code	9120050158764
Customs tariff number	27101983
VOC	0 %
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
100	60	230	940

Product packaging (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
210	200	240	5.6

r.s.p. Lefty Lube has been especially developed by r.s.p. in collaboration with Cannondale for lubricating your Lefty hybrid suspension fork (2013 model onwards). Lefty Lube is the friction-reducing lubricating oil for your Lefty hybrid suspension fork.

Note: Observe the manufacturer's specifications and directions for the 100-hour service of the hybrid needle bearing system.

Professional tip: We recommend r.s.p. Slick Kick for lubricating the Durathon Sealing System.

SUSPENSION SERVICE KIT

SUSPENSION FLUID

r.s.p. article no. 2.5 wt	062066002
r.s.p. article no. 5 wt	062066005
r.s.p. article no. 7.5 wt	062066007
r.s.p. article no. 10 wt	062066010
r.s.p. article no. 15 wt	062066015
Content	4 pcs.
Packaging units	10 kits
EAN product code 2.5 wt	9120050151666
EAN product code 5 wt	9120050151673
EAN product code 7.5 wt	9120050151680
EAN product code 10 wt	9120050151697
EAN product code 15 wt	9120050151703
Customs tariff number	27101981, 27101983
VOC	0%
FEDAS code	160965



EAN Code PU 2.5 wt	9120050158665
EAN Code PU 5 wt	9120050158672
EAN Code PU 7.5 wt	9120050158689
EAN Code PU 10 wt	9120050158696
EAN Code PU 15 wt	9120050158702

Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
80	40	130	242

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
180	150	170	1,550

The Suspension Service Kit is the ideal package for the fork and shock absorber service. It consists of r.s.p. Damp Champ 250 ml (viscosity of 2.5 wt - 15 wt), Slickkick 8g, No Stick Slip 8ml and Air Fluid 8ml.



NO STICK SLIP 8 ML

FRICTION REDUCE ADDITIVE

r.s.p. article no.	062605000
Content	8 ml sachet
Packaging units	20 pcs.
EAN product code	9120050156050

EAN packaging code	9120050159730
Customs tariff number	29161500
VOC	0 %
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
109	54	4	9

Product packing (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)

r.s.p. No Stick Slip is a friction reducer additive. 3-5 % No Stick Slip mixed in the fork oil largely prevents stick slip. No Stick Slip generates a stable and well adhering lubricating film, also under high pressure. It is compatible with plastic and rubber parts. No Stick Slip mixes very easily with the r.s.p. Damp Champ.

NO STICK SLIP

FRICTION REDUCE ADDITIVE

r.s.p. article no.	062604000
Content	50 ml
Packaging units	10 pcs.
EAN product code	9120050190207

EAN packaging code	/
Customs tariff number	29161500
VOC	0 %
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
46	26	105	58

Product packing (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
150	96	107	0,6

No Stick Slip is a friction reducer additive. 3-5 % No Stick Slip mixed in the fork oil largely prevents stick slip. No Stick Slip generates a stable and well adhering lubricating film, also under high pressure. It is compatible with plastic and rubber parts. No Stick Slip mixes very easily with the r.s.p. Damp Champ.

Profitipp: In your workshop use No Stick Slip 5l.



NO STICK SLIP 5L

FRICTION REDUCE ADDITIVE



r.s.p. article no.	062604005
Content	5 l
Packaging units	1 pcs.
EAN product code	9120050156043

EAN packaging code	/
Customs tariff number	29161500
VOC	0 %
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
190	135	300	4.950

Product packaging (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)

r.s.p. No Stick Slip is a friction reducer additive. 3-5% No Stick Slip mixed in the fork oil largely prevents stick slip. No Stick Slip generates a stable and well adhering lubricating film, also under high pressure. It is compatible with plastic and rubber parts. No Stick Slip mixes very easily with the r.s.p. Damp Champ.

CSP.
MOUNTAINBIKE
TEAM

FESTINA **FESTINA** **FESTINA**
CHRONO **CHRONO** **CHRONO**





BRAKE FLUID

BRAKE FLUID DOT 5.1

r.s.p. Article no.	062025001
Content	250ml
Packaging units	6 pcs.
EAN product code	9120050150256

EAN packaging code	9120050158252
Customs tariff number	38190000
VOC	0%
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
80	60	100	333

Product packing (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
160	180	100	2

r.s.p. Brake Fluid is a brake fluid for top performance in the world of racing. Our brake fluid is well known for having values that considerably exceed the DOT 5.1 norm and can resist even stronger loads and higher temperatures. Our brake fluid is used by many teams in the Mountain Bike World Cup.

Technical specifications: Boiling point 270°C – wet boiling point 185°C, fulfils SAE J 1307F - ISO 4925 - FMVSS 116

It's easy: First check whether your braking system uses brake fluid or hydraulic oil. Now fill the brake system precisely according to the manufacturer's specifications with Brake Fluid and bleed it. Brake Fluid can be mixed with DOT 4 brake fluids.



HAND CLEANER

HAND CLEANER

r.s.p. Article no.	062049005
Content	500 g
Packaging units	12 pcs.
EAN product code	9120050150492

EAN packaging code	9120050158498
Customs tariff number	34013000
VOC	0%
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
100	100	120	585

Product packing (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
310	225	265	7.15

Our pH-neutral Hand Cleaner with abraded plastic has proved itself over many years. The hand cleaner is perfectly suited to the demands of frequent hand washing in the workshop and service centre. Additives help to replenish oil and protect your skin where frequent hand washing is needed. The abraded plastic keeps the drain clear at all times.

It's easy: Measure out a walnut-sized amount into your hand, rub in well and then wash hands with sufficient water.



HAND CLEANER 10KG

HAND CLEANER

r.s.p. Article no.	062050000
Content	10 kg
Packaging units	1 pcs.
EAN product code	9120050150508

EAN packaging code	/
Customs tariff number	34013000
VOC	0 %
FEDAS code	160965



symbol photo



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
320	320	280	10,500

Product packing (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)

Our pH-neutral Hand Cleaner with abraded plastic has proved itself over many years. The hand cleaner is perfectly suited to the demands of frequent hand washing in the workshop and service centre. Additives help to replenish oil and protect your skin where frequent hand washing is needed. The abraded plastic keeps the drain clear at all times.

The economical alternative for professionals!

It's easy: Measure out a walnut-sized amount into your hand using our dispenser (item no. 062057000), rub in well and then wash hands with sufficient water.



MICROCLEAN PART CLEANER



r.s.p. Article no.	062023000
Content	/
Packaging units	1 pcs.
EAN product code	9120050150232

EAN packaging code	/
Customs tariff number	84243090
VOC	0%
FEDAS code	160967



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
590	290	690	25

Product packing (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)
780	590	400	27

r.s.p. Microclean is the most efficient bike component cleaner with integrated cleaning preparation. Thanks to its unique and innovative design, r.s.p. Microclean is extremely economical, which means that the 10litres of cleaning fluid go a long way. r.s.p. Microclean is compact, and is made from plastic-coated steel sheets, making it perfectly suitable for your workbench or for wall mounting. The cleaning pistol with brush attachment enables quick, efficient cleaning of all components. r.s.p. Microclean is made in Austria.

It's easy: Fill your Microclean with the 10-litre canister of r.s.p. Bike & Chain Cleaner. Place the dirty component on the perforated grid and start cleaning by using the cleaning pistol.

Professional tip: Dispose of the used cleaner directly into the empty 10-litre canister of r.s.p. Bike & Chain Cleaner using the drainage tap.

WORKSHOP APRON



r.s.p. Article no.	062070001
Content	/
Packaging units	1 pcs.
EAN product code	9120050150706

EAN packaging code	/
Customs tariff number	62033310
VOC	0%
FEDAS code	160965



Product packing (incl. content)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)
280	215	10	195

Product packaging (incl. folding box)			
Length (mm)	Width (mm)	Height (mm)	Weight (g)

Dimensions and weight of packaging unit			
Length (mm)	Width (mm)	Height (mm)	Weight (kg)

The r.s.p. Workshop Apron consists of a durable blended fabric and features a broad neck band. It is made in the EU. The side band has a quick-release fastener. The 3 front pockets and the retaining strap for small tools on the bib are extremely practical features.

Washable up to 60°C

Apron length: 72 cm

Material: 65% polyester and 35% cotton



KORA Handelsgesellschaft mbH
Olympiastraße 5 | A - 4432 Ernsthofen | Austria
Phone +43 (0) 7435 810 10
Fax +43 (0) 7435 810 10 - 40
E-Mail: verkauf@rsp.at

www.rsp.at